



### Certificate of Analysis

Report May 22 2020 2:58PM

Version 0

Sample Disposal 07/17/2020

**Customer:** Sauce Terps  
 1424 E Wilshire Ave

**License Number:** n/a  
**Comments:**
**Sample Name:** Gelato  
**Batch Number:** 319GEL20E12  
**Sample Type:** Concentrate  
**Sample Num:** 20AR000146  
**Sample Date:** 5/18/2020  
**Sample Volume:** 5 mL  
**Received Date:** 5/18/2020  
**Received By:** Niadj, Laurence


Terpene Profile	Method	Result (mg/g)	Result (%)	LOD (mg/g)	Analyzed By	Date
(-)-Isopulegol	GC-MS	0.44	0.044	0.01	LN	5/22/2020
α-Bisabolol	GC-MS	0.00	0.000	0.01	LN	5/22/2020
α-Cedrene	GC-MS	0.92	0.092	0.01	LN	5/22/2020
α-Humulene	GC-MS	116.11	11.611	0.01	LN	5/22/2020
α-Pinene	GC-MS	18.16	1.816	0.01	LN	5/22/2020
α-Terpinene	GC-MS	0.49	0.049	0.01	LN	5/22/2020
α-Terpineol	GC-MS	24.58	2.458	0.02	LN	5/22/2020
alpha-terpinolene	GC-MS	0.71	0.071	0.02	LN	5/22/2020
β-Myrcene	GC-MS	16.64	1.664	0.01	LN	5/22/2020
β-Pinene	GC-MS	16.46	1.646	0.01	LN	5/22/2020
Camphene	GC-MS	3.95	0.395	0.01	LN	5/22/2020
Camphor	GC-MS	2.13	0.213	0.01	LN	5/22/2020
Cedrol	GC-MS	0.00	0.000	0.01	LN	5/22/2020
Ocimene	GC-MS	2.00	0.200	0.01	LN	5/22/2020
Nerolidol	GC-MS	0.25	0.025	0.02	LN	5/22/2020
Limonene	GC-MS	127.82	12.782	0.01	LN	5/22/2020
Eucalyptol	GC-MS	2.02	0.202	0.01	LN	5/22/2020
Fenchol	GC-MS	6.80	0.680	0.01	LN	5/22/2020
Fenchone	GC-MS	0.09	0.009	0.01	LN	5/22/2020
γ-Terpinene	GC-MS	0.52	0.052	0.01	LN	5/22/2020
Geraniol	GC-MS	0.49	0.049	0.02	LN	5/22/2020

\*ND - Below the LOD



Sample Num: 20AR000146

Geranyl Acetate	GC-MS	2.80	0.280	0.01	LN	5/22/2020
Guaiol	GC-MS	0.00	0.000	0.01	LN	5/22/2020
Linalool	GC-MS	4.38	0.438	0.01	LN	5/22/2020
p-Cymene	GC-MS	1.68	0.168	0.01	LN	5/22/2020
Pulegone	GC-MS	0.42	0.042	0.01	LN	5/22/2020
Sabinene	GC-MS	1.64	0.164	0.01	LN	5/22/2020
Sabinene Hydrate	GC-MS	0.00	0.000	0.02	LN	5/22/2020
Valencene	GC-MS	0.22	0.022	0.01	LN	5/22/2020
Total Terpenes	GC-MS	351.72	35.172		LN	5/22/2020

Pesticides	Method	Result (ppm)	Action Level (ppm)	LOQ (ppm)	Status	Analyzed By	Date
Abamectin	LCMS	ND	0.50	0.13	Pass	LN	5/22/2020
Acephate	LCMS	ND	0.40	0.05	Pass	LN	5/22/2020
Acequinocyl	LCMS	ND	2.00	1.11	Pass	LN	5/22/2020
Acetamiprid	LCMS	ND	0.20	0.03	Pass	LN	5/22/2020
Aldicarb	LCMS	ND	0.40	0.06	Pass	LN	5/22/2020
Azoxystrobin	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Bifenazate	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Bifenthrin	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Boscalid	LCMS	ND	0.40	0.14	Pass	LN	5/22/2020
Carbaryl	LCMS	ND	0.20	0.09	Pass	LN	5/22/2020
Carbofuran	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Chlorantraniliprole	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Chlorfenapyr	GCMS	ND	0.20	0.32	Pass	LN	5/22/2020
Chlorpyrifos	LCMS	ND	0.20	0.13	Pass	LN	5/22/2020
Clofentezine	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Cyfluthrin	GCMS	ND	1.00	0.42	Pass	LN	5/22/2020
Cypermethrin	GCMS	ND	1.00	0.42	Pass	LN	5/22/2020
Daminozide	LCMS	ND	1.00	0.14	Pass	LN	5/22/2020
Diazinon	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Dichlorvos	LCMS	ND	0.10	0.05	Pass	LN	5/22/2020
Dimethoate	LCMS	ND	0.20	0.02	Pass	LN	5/22/2020
Ethoprophos	LCMS	ND	0.20	0.05	Pass	LN	5/22/2020
Etofenprox	LCMS	ND	0.40	0.08	Pass	LN	5/22/2020
Etoxazole	LCMS	ND	0.20	0.05	Pass	LN	5/22/2020
Fenoxycarb	LCMS	ND	0.20	0.05	Pass	LN	5/22/2020
Fenpyroximate	LCMS	ND	0.40	0.07	Pass	LN	5/22/2020
Fipronil	LCMS	ND	0.40	0.12	Pass	LN	5/22/2020
Flonicamid	LCMS	ND	1.00	0.04	Pass	LN	5/22/2020
Fludioxonil	LCMS	ND	0.40	0.11	Pass	LN	5/22/2020
Hexythiazox	LCMS	ND	1.00	0.32	Pass	LN	5/22/2020
Imazalil	LCMS	ND	0.20	0.07	Pass	LN	5/22/2020
Imidacloprid	LCMS	ND	0.40	0.06	Pass	LN	5/22/2020

\*ND - Below the LOD

All QC samples met requirements outlined in the SOPs. All results based on samples provided by customer. These results relate only to the sample included in this report. Test report may not be reproduced except in full, without the written approval of Demeter Labs  
5401 N. Portland Ave, Suite 260, Oklahoma City, OK 73112 and 14524 Cantrell Road, Suite 100, Little Rock, AR 72223 (844)381-7873



Sample Num: 20AR000146

Kresoxim-methyl	LCMS	ND	0.40	0.09	Pass	LN	5/22/2020
Malathion	LCMS	ND	0.20	0.05	Pass	LN	5/22/2020
Metalaxyl	LCMS	ND	0.20	0.05	Pass	LN	5/22/2020
Methiocarb	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Methomyl	LCMS	ND	0.40	0.07	Pass	LN	5/22/2020
Methyl parathion	GCMS	ND	0.20	0.08	Pass	LN	5/22/2020
MGK-264	GCMS	ND	0.20	.09	Pass	LN	5/22/2020
Myclobutanil	LCMS	ND	0.20	0.06	Pass	LN	5/22/2020
Naled	LCMS	ND	0.50	0.06	Pass	LN	5/22/2020
Oxamyl	LCMS	ND	1.00	0.13	Pass	LN	5/22/2020
Paclobutrazol	LCMS	ND	0.40	0.09	Pass	LN	5/22/2020
Permethrin (both)	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Phosmet	LCMS	ND	0.20	0.07	Pass	LN	5/22/2020
Piperonyl butoxide	LCMS	ND	2.0	1.06	Pass	LN	5/22/2020
Prallethrin	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Propiconazole	LCMS	ND	0.40	0.15	Pass	LN	5/22/2020
Propoxur	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Pyrethrins	LCMS	ND	1.00	0.34	Pass	LN	5/22/2020
Pyridaben	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Spinosad	LCMS	ND	0.20	0.03	Pass	LN	5/22/2020
Spiromesifen	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Spirotetramat	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020
Spiroxamine	LCMS	ND	0.40	0.1	Pass	LN	5/22/2020
Tebuconazole	LCMS	ND	0.40	0.06	Pass	LN	5/22/2020
Thiacloprid	LCMS	ND	0.20	0.03	Pass	LN	5/22/2020
Thiamethoxam	LCMS	ND	0.20	0.03	Pass	LN	5/22/2020
Trifloxystrobin	LCMS	ND	0.20	0.04	Pass	LN	5/22/2020

Heavy Metals	Method	Result (ug/kg)	Action Level (ug/kg)	LOQ (ug/kg)	Status	Analyzed By	Date
Arsenic	ICP-MS	ND	200	58.5	Pass	LN	5/22/2020
Cadmium	ICP-MS	ND	200	63.3	Pass	LN	5/22/2020
Lead	ICP-MS	ND	500	255.1	Pass	LN	5/22/2020
Mercury	ICP-MS	ND	100	31.2	Pass	LN	5/22/2020

Residual Solvents	Method	Result (ug/g)	Action Level (ug/g)	LOQ (ug/g)	Status	Analyzed By	Date
1,2-Dimethoxyethane	GC-MS	ND	100	34.02	Pass	LN	5/22/2020
1,4-Dioxane	GC-MS	ND	380	39.85	Pass	LN	5/22/2020
1-Butanol	GC-MS	ND	5000	931.76	Pass	LN	5/22/2020


\*ND - Below the LOD



Sample Num: 20AR000146

1-Pentanol	GC-MS	ND	5000	909.8	Pass	LN	5/22/2020
1-Propanol	GC-MS	ND	5000	879.49	Pass	LN	5/22/2020
2,2-Dimethylbutane	GC-MS	ND	290	127.95	Pass	LN	5/22/2020
2,3-Dimethylbutane	GC-MS	ND	290	308.93	Pass	LN	5/22/2020
2-Butanol	GC-MS	ND	5000	985.52	Pass	LN	5/22/2020
2-Butanone	GC-MS	ND	5000	818.73	Pass	LN	5/22/2020
2-Ethoxyethanol	GC-MS	ND	160	45.19	Pass	LN	5/22/2020
2-Methylbutane	GC-MS	ND	5000	1041.79	Pass	LN	5/22/2020
2-Methylpentane	GC-MS	ND	290	308.93	Pass	LN	5/22/2020
3-Methylpentane	GC-MS	ND	290	99.68	Pass	LN	5/22/2020
Acetone	GC-MS	ND	5000	862.29	Pass	LN	5/22/2020
Acetonitrile	GC-MS	ND	410	62.28	Pass	LN	5/22/2020
Benzene	GC-MS	ND	2	0.6	Pass	LN	5/22/2020
Butane	GC-MS	ND	5000	213.27	Pass	LN	5/22/2020
Cumene	GC-MS	ND	70	13.23	Pass	LN	5/22/2020
Cyclohexane	GC-MS	ND	3880	816.4	Pass	LN	5/22/2020
Dichloromethane	GC-MS	ND	600	155.83	Pass	LN	5/22/2020
Dimethyl Sulfoxide	GC-MS	ND	5000	894.18	Pass	LN	5/22/2020
Ethanol	GC-MS	ND	5000	958.63	Pass	LN	5/22/2020
Ethyl Acetate	GC-MS	ND	5000	898.22	Pass	LN	5/22/2020
Ethyl Ether	GC-MS	ND	5000	796.91	Pass	LN	5/22/2020
Ethylene Glycol	GC-MS	ND	620	158.02	Pass	LN	5/22/2020
Ethylene Oxide	GC-MS	ND	50	14.81	Pass	LN	5/22/2020
Heptane	GC-MS	ND	5000	735.05	Pass	LN	5/22/2020
Hexane	GC-MS	ND	290	93.01	Pass	LN	5/22/2020
Isopropyl Acetate	GC-MS	ND	5000	842.81	Pass	LN	5/22/2020
Isopropyl Alcohol	GC-MS	ND	5000	924.73	Pass	LN	5/22/2020
Methanol	GC-MS	ND	3000	385.51	Pass	LN	5/22/2020
Methylpropane	GC-MS	ND	5000	246.74	Pass	LN	5/22/2020
N,N-Dimethylacetamide	GC-MS	ND	1090	258.29	Pass	LN	5/22/2020
N,N-Dimethylformamide	GC-MS	ND	880	157.86	Pass	LN	5/22/2020
Pentane	GC-MS	ND	5000	607.34	Pass	LN	5/22/2020
Propane	GC-MS	ND	5000	356.95	Pass	LN	5/22/2020
Pyridine	GC-MS	ND	200	45.77	Pass	LN	5/22/2020
Sulfolane	GC-MS	ND	160	69.91	Pass	LN	5/22/2020
Tetrahydrofuran	GC-MS	ND	720	175.79	Pass	LN	5/22/2020
Toluene	GC-MS	ND	890	151.29	Pass	LN	5/22/2020
Total Xylenes	GC-MS	ND	2170	834.35	Pass	LN	5/22/2020

Approved by:

  
Laurence Niadj  
Technical Manager

  
Cassy VanTassel  
QA Manager

\*ND - Below the LOD

All QC samples met requirements outlined in the SOPs. All results based on samples provided by customer. These results relate only to the sample included in this report. Test report may not be reproduced except in full, without the written approval of Demeter Labs  
5401 N. Portland Ave, Suite 260, Oklahoma City, OK 73112 and 14524 Cantrell Road, Suite 100, Little Rock, AR 72223 (844)381-7873